


Visual Neuroscience Lab Publications

2023


Identification of dot clusters in a Gaussian-distributed field: The range of human perception and a comparison with spectral graph clustering



Cate, A. D. (2023) "Identification of dot clusters in a Gaussian-distributed field: The range of human perception and a comparison with spectral graph clustering." Society for Neuroscience Annual Meeting, Washington, D.C.

2021

The figural shape of 3D concave regions activates temporopolar cortex



Cate, A. D. (2021). "The figural shape of 3D concave regions activates temporopolar cortex." Vision Sciences Society Annual Meeting, St. Pete Beach, FL.

2019

YOU CAN'T PLAY 20 QUESTIONS WITH AN ALGORITHM
AND WIN
Anthony D. Cate, Ph.D.
April 12, 2019

Link to reveal.js slideshow:

[You Can't Play 20 Questions with an Algorithm and Win](#)

PDF version:

[You can't play 20 questions with an algorithm and win: how to break deep networks productively.](#)

Cate, A. D. (2019). "You can't play 20 questions with an algorithm and win: how to break deep networks productively." Algorithms That Make You Think Workshop, Blacksburg, VA.

Link to reveal.js slideshow:

[Modeling enumeration](#)

2018

Mathematics at Hand

The Mathematics Educator
2018 Vol. 27, No. 1, 33-59

Mathematics at Hand

Anderson Norton, Catherine Ulrich,
Martha Ann Bell, and Anthony Cate

The emerging field of mathematics educational neuroscience provides researchers with new approaches to understanding mathematical development, as well as mathematics itself. This paper focuses on the role of the hand in constructing mathematics through activity. We rely on Piaget's distinction of three levels of activity: sensorimotor activity, intellectual activity, and intellectual operations—to derive results from neuroscience studies. These distinctions and related neuroscience findings contribute to a new sense of mathematical embodiment. They also provide implications for mathematics instruction.

In a scene atop the Sistine Chapel, Adam languidly gestures a finger toward an eager God, who rides a clouded wave of cherubim to meet his touch (see Figure 1). Aside from theological implications of the work, scholars have speculated Michelangelo's intentions to convey insights into the human anatomy. Specifically, physician Frank Meshberger (1996) conjectured that "The Creation of Adam" depicts the human brain within God's cloak and that the small gap between the fingers of Adam and his maker represent a synapse within the brain—a conjecture supported by striking similarities between the human brain and the outline of the cloak, as well as the fact that Michelangelo rigorously studied the neural anatomy of children. The manner in which God delivers the spark seems especially appropriate in light of modern day neuroscience and

Anderson Norton is Professor of mathematics education in the Department of Mathematics at Virginia Tech. His research centers on the epistemology of mathematics.

Catherine Ulrich is Associate Professor of mathematics education at Virginia Tech. Her fields include studies of mathematical development, especially children's construction of number.

Martha Ann Bell is Professor of psychology at Virginia Tech, where she directs the Cognition, Affect, & Psychophysiology Lab.

Anthony Cate is Assistant Professor of psychology at Virginia Tech, where he conducts research in cognitive neuroscience.

Norton, A., Ulrich, C. L., Bell, M. A. & Cate, A. (2018). "Mathematics at Hand." *The Mathematics Educator* 27(1): 33–59.

2017

fMRI investigation of part-whole contingencies using 2-D shapes: A partial least squares analysis



Muralidharan, P. & Cate, A. D. (2017). "fMRI investigation of part-whole contingencies using 2-D shapes: A partial least squares analysis"

A partial least squares analysis." Cognitive Neuroscience Society Annual Meeting, San Francisco, CA.


Eye Movements during Emotional Scene Processing: Exploring the Role of Visual Perception in Intrusive Mental Imagery



Roldán, S. M., Obertello, O. & Cate, A. D. (2017, May). "Eye Movements during Emotional Scene Processing: Exploring the Role of Visual Perception in Intrusive Mental Imagery." Vision Sciences Society Annual Meeting, St. Pete Beach, FL.

2016

Empty space is less crowded: stereo-defined 3D letters exhibit less crowding when they are concave than when they are convex




Cate, A. D. & Hartman, M. (2016). "Empty space is less crowded: stereo-defined 3D letters exhibit less crowding when they are concave than when they are convex." Vision Sciences Society Annual Meeting, St. Pete Beach, FL.

Physical Size and Spatiotopic Cues Modulate Inverted Face Representation



Brown, J. M., Cate, A. (2016). Physical Size and Spatiotopic Cues Modulate Inverted Face Representation . Presented at the Cognitive Neuroscience Society Annual Meeting, New York, NY, USA.

Identifying Distinctive Features in Object Recognition



Roldán, S. M. & Cate, A. D. (2016). "Identifying Distinctive Features in Object Recognition." Vision Sciences Society Annual Meeting, St. Pete Beach, FL.


Perceptual Organization in Parkinson's disease: The Role of the Basal ganglia in Shape-Based Object Recognition and Emotion Perception



Muralidharan, P. & Cate, A. D. (2016). "Perceptual Organization in Parkinson's disease: The Role of the Basal ganglia in Shape-Based Object Recognition and Emotion Perception." Vision Sciences Society Annual Meeting, St. Pete Beach, FL.

2015

Functional and anatomical properties of human visual cortical fields.



Zhang, S., Cate, A. D., Herron, T. J., Kang, X., Yund, E. W., Bao, S., & Woods, D. L. (2015). Functional and anatomical properties of human visual cortical fields. *Vision Research*, 109, Part A, 107-121.

<http://doi.org/10.1016/j.visres.2015.01.015>

Concurrent fMRI analysis of part-whole structure and subjective object norms for items from the BOSS (Bank of Standardized Stimuli) data set.



Cate, A., & Roldán, S. M. (2015). Concurrent fMRI analysis of part-whole structure and subjective object norms for items from the BOSS (Bank of Standardized Stimuli) data set. Presented at the Vision Sciences Society Annual Meeting, St. Pete Beach, FL.


2014

Human cortical visual pathways for the perception of figural shapes that violate Gestalt principles: fMRI of 3D concave shape from stereopsis.




Cate, A. D., Brown, J. M., & Roldán, S. M. (2014). Human cortical visual pathways for the perception of figural shapes that violate Gestalt principles: fMRI of 3D concave shape from stereopsis. Presented at the Society for Neuroscience Annual Meeting, Washington, DC, USA.

Neural correlates of holistic and configural visual object processing.



Roldán, S. M., & Cate, A. D. (2014). Neural correlates of holistic and configural visual object processing. Presented at the Society for Neuroscience Annual Meeting, Washington, DC, USA.

Effects of physical size on visual contour integration and global-local judgments of hierarchical forms.



Brown, J. M., & Cate, A. D. (2014). Effects of physical size on visual contour integration and global-local judgments of hierarchical forms. Presented at the Society for Neuroscience Annual Meeting, Washington, DC, USA.

Mathematical Ways of Operating: an fMRI Study with 12-year-old participants.



Cate, A. D., Rosen, A., Bell, M. A., Ulrich, C., Roldán, S. M., & Norton, A. (2014). Mathematical Ways of Operating: an fMRI Study with 12-year-old participants. Presented at the Organization for Human Brain Mapping Annual Meeting, Hamburg, Germany.

2013

Identifying Parts and Wholes in Real-World Objects: An Application of Critical Spacing



Roldán, S. M., Liu, M., De Roma, J., & Cate, A. D. (2013). Identifying Parts and Wholes in Real-World Objects: An Application of Critical Spacing. Presented at the Object Perception, Attention and Memory, Toronto, ON, Canada.

Spatial grouping and visual enumeration performance: signal detection analysis.




Cate, A. D., & Tzur, L. (2013). Spatial grouping and visual enumeration performance: signal detection analysis. Presented at the Psychonomics Society Annual Meeting, Toronto, ON., Canada.




[Spatial and semantic memory for kinesthetic learning in large-scale visual displays.](#)

Smith, D., Chung, H., Ragan, E., Self, J., North, C., & Cate, A. D. (2013). Spatial and semantic memory for kinesthetic learning in large-scale visual displays. Presented at the Society for Neuroscience, San Diego, CA.

2012




Combined Hemispheres

 Cate, Herron et al. 2012

[Intermodal attention modulates visual processing in dorsal and ventral streams.](#)

Cate, A. D., Herron, T. J., Kang, X., Yund, E. W., & Woods, D. L. (2012). Intermodal attention modulates visual processing in dorsal and ventral streams. *NeuroImage*, 63(3), 1295–1304.

<http://doi.org/10.1016/j.neuroimage.2012.08.026>



O'Neil, Protzner et al. 2012

Distinct patterns of functional and effective connectivity between perirhinal cortex and other cortical regions in recognition memory and perceptual discrimination.

O'Neil, E. B., Protzner, A. B., McCormick, C., McLean, D. A., Poppenk, J., Cate, A. D., & Köhler, S. (2012). Distinct patterns of functional and effective connectivity between perirhinal cortex and other cortical regions in recognition memory and perceptual discrimination. *Cerebral Cortex* (New York, N.Y.: 1991), 22(1), 74–85. <http://doi.org/10.1093/cercor/bhr075>



Kang, Herron et al. 2012

Hemispherically-Unified Surface Maps of Human Cerebral Cortex: Reliability and Hemispheric Asymmetries.

Kang, X., Herron, T. J., Cate, A. D., Yund, E. W., & Woods, D. L. (2012). Hemispherically-Unified Surface Maps of Human Cerebral Cortex: Reliability and Hemispheric Asymmetries. PLoS ONE, 7(9), e45582. <http://doi.org/10.1371/journal.pone.0045582>



[Cortical surface-based meta-analysis of human visuotopic regions from published stereotaxic coordinates.](#)

Cate, A., Herron, T., Kang, X., & Woods, D. (2012). Cortical surface-based meta-analysis of human visuotopic regions from published stereotaxic coordinates. Presented at the Vision Sciences Society Annual Meeting, Naples, FL. In Journal of Vision (Vol. 12, pp. 523-523). Naples, FL. <http://doi.org/10.1167/12.9.523>

2011



Cate, Goodale & Köhler 2011

The role of apparent size in building- and object-specific regions of ventral visual cortex.

Cate, A. D., Goodale, M. A., & Köhler, S. (2011). The role of apparent size in building- and object-specific regions of ventral visual cortex. *Brain Research*, 1388, 109–122.

<http://doi.org/10.1016/j.brainres.2011.02.022>



Woods, Herron et al. 2011

Phonological processing in human auditory cortical fields.


Woods, D. L., Herron, T. J., Cate, A. D., Kang, X., & Yund, E. W. (2011). Phonological processing in human auditory cortical fields. *Frontiers in Human Neuroscience*, 5, 42.

<http://doi.org/10.3389/fnhum.2011.00042>



Part-whole integration of 2D shapes in the hippocampus and the basal ganglia.

Cate, A., Kang, X., Herron, T., & Woods, D. (2011). Part-whole integration of 2D shapes in the hippocampus and the basal ganglia. Presented at the Vision Sciences Society Annual Meeting, Naples, FL. In *Journal of Vision* (Vol. 11, pp. 1094–1094). Naples, FL. <http://doi.org/10.1167/11.11.1094>



VAMCA: A toolbox for the visualization and metaanalysis of functional organization of the cortex using an anatomical database.

Herron, T. J., Cate, A. D., Kang, X., & Woods, D. L. (2011). VAMCA: A toolbox for the visualization and metaanalysis of functional organization of the cortex using an anatomical database. Presented at the 4th INCF Congress of Neuroinformatics, Boston, MA. In *Frontiers in Neuroinformatics*. Boston, MA. <http://doi.org/10.3389/conf.fninf.2011.08.00107>

2010



Cate & Behrmann 2010

Perceiving parts and shapes from concave surfaces.

Cate, A. D., & Behrmann, M. (2010). Perceiving parts and shapes from concave surfaces. *Attention, Perception & Psychophysics*, 72(1), 153–167. <http://doi.org/10.3758/72.1.153>



Woods, Herron et al. 2010

Functional properties of human auditory cortical fields.


Woods, D. L., Herron, T. J., Cate, A. D., Yund, E. W., Stecker, G. C., Rinne, T., & Kang, X. (2010). Functional

properties of human auditory cortical fields. *Frontiers in Systems Neuroscience*, 4, 155.
<http://doi.org/10.3389/fnsys.2010.00155>



[Divergence modeling: Analyzing perceptual representations via stimulus similarity and information theory.](#)


Cate, A. D., Herron, T. J., & Woods, D. L. (2010). Divergence modeling: Analyzing perceptual representations via stimulus similarity and information theory. Presented at the Society for Neuroscience, San Diego, CA.



[Shape dimensions, perceptual organization and intermodal selective attention: anterior extrastriate fMRI.](#)

Cate, A., Kang, X., Herron, T., Yund, E. W., & Woods, D. (2010). Shape dimensions, perceptual organization and intermodal selective attention: anterior extrastriate fMRI. Presented at the Vision Sciences Society Annual Meeting, Naples, FL. In *Journal of Vision* (Vol. 10, pp. 1205–1205). Naples, FL.
<http://doi.org/10.1167/10.7.1205>

2009




Cate, Herron et al. 2009

Auditory Attention Activates Peripheral Visual Cortex.

Cate, A. D., Herron, T. J., Yund, E. W., Stecker, G. C., Rinne, T., Kang, X., ... Woods, D. L. (2009). Auditory Attention Activates Peripheral Visual Cortex. *PLoS ONE*, 4(2), e4645.

<http://doi.org/10.1371/journal.pone.0004645>




O'Neil, Cate & Köhler 2009

Perirhinal Cortex Contributes to Accuracy in Recognition Memory and Perceptual Discriminations.

O'Neil, E. B., Cate, A. D., & Kohler, S. (2009). Perirhinal Cortex Contributes to Accuracy in Recognition Memory and Perceptual Discriminations. *J. Neurosci.*, 29(26), 8329-8334.

<http://doi.org/10.1523/JNEUROSCI.0374-09.2009>



Woods, Stecker et al. 2009

Functional maps of human auditory cortex: effects of acoustic features and attention.

Woods, D. L., Stecker, G. C., Rinne, T., Herron, T. J., Cate, A. D., Yund, E. W., ... Kang, X. (2009). Functional maps of human auditory cortex: effects of acoustic features and attention. *PLoS One*, 4(4), e5183. <http://doi.org/10.1371/journal.pone.0005183>

Earlier

doi:10.1371/journal.pone.0005183

Woods, D. L., Stecker, G. C., Rinne, T., Herron, T. J., Cate, A. D., Yund, E. W., ... Kang, X. (2009). Functional maps of human auditory cortex: effects of acoustic features and attention. *PLoS One*, 4(4), e5183. <http://doi.org/10.1371/journal.pone.0005183>

The missing whole in perceptual models of perirhinal cortex

Anthony D. Cate and Stefan Köhler

The possibility that perirhinal cortex (PRh) plays a role in perceptual processing of objects, in addition to its well-established memory function, has produced a growing body of research that is increasingly supported by fMRI and MEG, and integrated in more formal computational models (Lüdtke et al., 2008). The most important new evidence concerned general perceptual abilities of PRh-lesioned patients and was based on a series of perceptual discrimination tests in the presence of acoustic distractors. Results from these studies indicate that the perceptual abilities of PRh-lesioned patients are intact for objects that are perceptually similar to the objects that were used as a reference. However, they are impaired for objects that are perceptually dissimilar to the objects that were used as a reference. This impairment is most pronounced for objects that are perceptually dissimilar to the objects that were used as a reference, but only when the objects are perceptually similar to the objects that were used as a reference. These results suggest that PRh is involved in the perceptual processing of objects that are perceptually similar to the objects that were used as a reference, but only when the objects are perceptually similar to the objects that were used as a reference.

Cate & Köhler 2006

The missing whole in perceptual models of perirhinal cortex.

Cate, A. D., & Köhler, S. (2006). The missing whole in perceptual models of perirhinal cortex. *Trends in Cognitive Sciences*, 10(9), 396–397. <http://doi.org/10.1016/j.tics.2006.07.004>



Cate & Behrmann 2002

[Spatial and temporal influences on extinction.](#)

Cate, A., & Behrmann, M. (2002). Spatial and temporal influences on extinction. *Neuropsychologia*, 40(13), 2206–2225.

From:
<https://wiki.anthonycate.org/> - **Visual Cognitive Neuroscience**

Permanent link:
<https://wiki.anthonycate.org/doku.php?id=publications:publications&rev=1701372509>

Last update: **2023/11/30 14:28**

